



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

The meeting having adjourned to June 6th, the following were then elected members:—

Wm. Wharton, Jr., C. H. Cramp, Chas. H. Rogers, A. R. Justice, Edw. P. Borden, Edw. Taylor, J. T. Audenreid, J. S. Helfenstein, Mrs. Gertrude A. Quimby, Henry M. Laing, Maxwell Sommerville, and Chas. A. Slocum, M.D.

Prof. Wentzel Gruber, of St. Petersburg, was elected a correspondent.

*On some supposed Lemurine forms of the Eocene Period.*—Prof. COPE communicated verbally the following observations:—

I have seen no reason to modify the view originally expressed as to the Quadrumanous affinities of *Anaptomorphus*, but new light has been thrown on the structure of *Tomitherium* and its allies. The fragments of skeletons of two species of this genus (*T. jarrovi* and *T. tutum*) include numerous bones of the tarsus, and these are identical with corresponding parts in the *Creodonta* and different from those of the *Lemuridæ*. The astragalus extends anterior to the shortened calcaneum, and the navicular is short and the cuboid not elongate. The astragalus presents two oblique flat surfaces, one for the internal malleolus, the other for the transverse facet of the tibia. The portions of femur, including the third trochanter, the proximal part of the ulna, and the distal portion of the humerus, are all closely similar to those of the *Creodonta*. The type of *Tomitherium* includes some parts of the skeleton not present in the New Mexican species. Thus the ilium of *T. rostratum*, while furnished with the prominent anterior inferior spine of the *Creodonta*, is flattened towards the crest, and is not angulate on the external face. The femur is furnished with a very elevated third trochanter as in *Chiromys* and *Talpa*, and not low down as in *Creodonta*. The head of the radius is rounder than in *Creodonta*. The skeleton of *Tomitherium* in fact bears strong resemblance to that of *Chiromys*, leaving the skull out of view.

The skeleton of the New Mexican form includes an entocuneiform like that of *Stypolophus hians*, which indicates a non-opposable hallux.

It is apparent that the supposed lemurine *Mammalia* of the type of *Tomitherium*, which have the formula of the molar teeth 4-3, cannot be separated by ordinal distinction from the *Creodonta*. They differ from them, it is true, in their wholly tubercular molar teeth, but relate to them in this as the bears and *Procyonidæ* do to other *Carnivora*. I propose therefore to constitute these a distinct group or suborder, intermediate in position between the *Creodonta* and the *Prosimiæ*, under the name of the *Mesodonta*.

I cannot find characters by which to distinguish this division from the *Insectivora* as an order.

I have applied to this order the name *Insectivora* so as to avoid the creation of a new one. I now think that the latter would have been the better course. The name *Insectivora* has acquired currency as applied to the well-known modern group of that name, and its application to types of such apparent diversity as those now associated under a single head is not a convenience. I therefore propose the name *Bunotheria* for the order, and include under it the suborders, *Creodonta*, *Mesodonta*, *Insectivora*, *Tillodonta*, and *Taeniodonta*. Further investigation will be necessary in order to determine the relations of the *Prosimiæ* to this order.

The committees to which they had been referred recommended the following papers to be published:—